



CAN AM INGREDIENTS, INC.

MGMT SYS. ISO 9001:2000 REGISTERED

510 Queens Quay West • Toronto, Ontario • M5V 3K8

Maltodextrin (10 DE) – Specification

	<u>MIN.</u>	<u>MAX.</u>
Moisture, %	--	6.0
Dextrose Equivalent (D.E.)	9.0	13.0
SO (2), ppm		less than 10.0
Conductivity (mmhos @ 30% d.s.)	--	50
Ash, %		trace
Clarity (24 hours @ 600 nm) --	80.0	--
N.S.R.		standard
Screen Test (typical)- % on 60 mesh U.S.S.		1
% on 100 mesh U.S.S.		25
% on 325 mesh U.S.S.		58
% thru 325 mesh U.S.S.		16
Average Bulk Density -lbs/cu ft	28	38
Sensory Odour/Flavour		standard
Microbiological – typically will not exceed:		
Standard Plate Count/g		100
Yeasts/g		20
Moulds/g		20
Coliforms/g		10
E.Coli/30g		negative
Salmonella/100g		negative
Heavy Metals (as Pb) – will not exceed 500 ppb.		
Typical Carbohydrate Profile - % db		
Dextrose		1
Maltose		2
Maltotriose		3
Tetrasaccharides		2
Higher saccharides		92